

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	64	(@ad<"20001117" or @rlad<"20001117") and session near (identifier or id) near15 password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:32
S12 7	117	(@ad<"20001117" or @rlad<"20001117") and password\$1 same (conferenc\$4 or chat\$5) same (establish\$5 or setup)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 13:50
S12 8	5	(@ad<"20001117" or @rlad<"20001117") and password\$1 same (conferenc\$4 or chat\$5) same (establish\$5 or setup) and password\$1 near15 invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 13:52
S12 9	5	(@ad<"20001117" or @rlad<"20001117") and password\$1 same (conferenc\$4 or chat\$5) same (establish\$5 or setup) and password\$1 near15 invit\$6 and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 14:12
S13 0	18	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) same (establish\$5 or setup) and password\$1 near15 invit\$6 and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 14:22
S13 1	60	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and password\$1 near15 invit\$6 and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:30
S13 2	12	(@ad<"20001117" or @rlad<"20001117") and creat\$4 near15 (conferenc\$4 or chat\$5) and password\$1 near15 invit\$6 and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 14:22

EAST Search History

S13 3	0	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and shar\$4 near15 password\$1 near15 invit\$6 and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 14:25
S13 4	126	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and shar\$4 near15 password\$1 and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 14:25
S13 5	12	(@ad<"20001117" or @rlad<"20001117") and (creat\$4 or establish\$4 or setup or set\$4) near10 (conferenc\$4 or chat\$5) and shar\$4 near15 password\$1 and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 14:26
S13 6	5972	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:30
S13 7	219	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and password\$1 near15 (block\$1 or mask\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:31
S13 8	228	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and password\$1 near15 (visible or block\$1 or mask\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:31
S13 9	35	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and (transmit\$4 or send\$4 or invit\$6 or shar\$4) near15 password\$1 near15 (visible or block\$1 or mask\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:35

EAST Search History

S14 0	0	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and (transmit\$4 or send\$4 or invit\$6 or shar\$4) near15 password\$1 near15 "not" near15 (see visible mask\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:36
S14 1	0	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and (transmit\$4 or send\$4 or invit\$6 or shar\$4) near15 password\$1 and password\$1 near15 "not" near15 (see visible mask\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:36
S14 2	1000	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and (transmit\$4 or send\$4 or invit\$6 or shar\$4) near15 password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:36
S14 3	305	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (conferenc\$4 or chat\$5) and (transmit\$4 or send\$4 or invit\$6 or shar\$4) near15 password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:37
S14 4	64	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (conferenc\$4 or chat\$5) and (transmit\$4 or send\$4 or invit\$6 or shar\$4) near15 password\$1 and password\$1 near15 (show\$4 or mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:42
S14 5	1	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (conferenc\$4 or chat\$5) and (transmit\$4 or send\$4 or invit\$6 or shar\$4) near15 password\$1 and password\$1 near15 (mask\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:37
S14 6	0	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (conferenc\$4 or chat\$5) and (transmit\$4 or send\$4 or invit\$6 or shar\$4) near15 password\$1 and password\$1 near15 (blocking)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:42

EAST Search History

S14 7	0	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (conferenc\$4 or chat\$5) and password\$1 and password\$1 near15 (blocking)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:42
S14 8	1629	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (conferenc\$4 or chat\$5) and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:43
S14 9	277	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (creat\$4 or establish\$4 or setup or (setting near up))near15 (conferenc\$4 or chat\$5) and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 16:43
S15 0	11	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (creat\$4 or establish\$4 or setup or (setting near up))near15 (conferenc\$4 or chat\$5) and password\$1 same invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 17:08
S15 1	11	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (creat\$4 or establish\$4 or setup or (setting near up))near15 (conferenc\$4 or chat\$5) and password\$1 same invit\$6 and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 17:12
S15 2	42	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (conferenc\$4 or chat\$5) and password\$1 same invit\$6 and password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 17:13
S15 3	31	(@ad<"20001117" or @rlad<"20001117") and "709"/\$3. ccls. and (conferenc\$4 or chat\$5) and password\$1 same invit\$6 and password\$1 not S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 17:32

EAST Search History

S15 4	230	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and (creat\$4 or regist\$6) near15 password\$1 and invit\$6 and password\$1 not S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 17:33
S15 5	10	(@ad<"20001117" or @rlad<"20001117") and (conferenc\$4 or chat\$5) and (creat\$4 or regist\$6) near15 password\$1 same (conferenc\$4 or chat\$5 or discussion\$1) and invit\$6 and password\$1 not S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 17:33
S15 6	11	(@ad<"20001117" or @rlad<"20001117") and (discussion\$1 or conferenc\$4 or chat\$5) and (creat\$4 or regist\$6) near15 password\$1 same (conferenc\$4 or chat\$5 or discussion\$1) and invit\$6 and password\$1 not S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 17:43
S15 7	6	(@ad<"20001117" or @rlad<"20001117") and creat\$4 near15 (discussion\$1 or conferenc\$4 or chat\$5) and (creat\$4 or regist\$6) near15 password\$1 same (conferenc\$4 or chat\$5 or discussion\$1) and invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 17:45
S15 8	0	(@ad<"20001117" or @rlad<"20001117") and creat\$4 near15 (discussion\$1 or conferenc\$4 or chat\$5) and (submit\$4) near15 password\$1 same (conferenc\$4 or chat\$5 or discussion\$1) and invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 17:45
S15 9	116	(@ad<"20001117" or @rlad<"20001117") and mask\$4 near10 password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:17
S16 0	1	(@ad<"20001117" or @rlad<"20001117") and mask\$4 near10 password\$1 same invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:17

EAST Search History

S16 1	116	(@ad<"20001117" or @rlad<"20001117") and mask\$4 near10 password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:19
S16 2	0	(@ad<"20001117" or @rlad<"20001117") and provid\$4 near15 mask\$4 near10 password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:18
S16 3	230	(@ad<"20001117" or @rlad<"20001117") and (cover\$4 or mask\$4) near10 password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:19
S16 4	1	(@ad<"20001117" or @rlad<"20001117") and (cover\$4 or mask\$4) near10 password\$1 same invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:19
S16 5	1	(@ad<"20001117" or @rlad<"20001117") and (cover\$4 or mask\$4) same password\$1 same invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:20
S16 6	2	(@ad<"20001117" or @rlad<"20001117") and embed\$4 same password\$1 same invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:23
S16 7	110	(@ad<"20001117" or @rlad<"20001117") and (chat or conference) and password\$1 same invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:32

EAST Search History

S16 8	25	(@ad<"20001117" or @rlad<"20001117") and (covering or masking or blocking disguis\$4) and password\$1 same invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:33
S16 9	2	(@ad<"20001117" or @rlad<"20001117") and (covering or masking or blocking disguis\$4) near15 password\$1 same invit\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:34
S17 0	43	(@ad<"20001117" or @rlad<"20001117") and (covering or masking or blocking disguis\$4) near15 password\$1 same display\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:34
S17 1	9	(@ad<"20001117" or @rlad<"20001117") and (covering or masking or blocking or disguis\$4) near15 password\$1 same display\$4 and (chat or conference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:35
S17 2	14	(@ad<"20001117" or @rlad<"20001117") and (covering or masking or blocking or disguis\$4 or asterisk\$4) near15 password\$1 same (display\$4 or invitation\$1) and (chat or conference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:45
S17 3	16	(@ad<"20001117" or @rlad<"20001117") and (covering or masking or blocking or disguis\$4 or asterisk\$4) near15 password\$1 same (display\$4 or invitation\$1) same securit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:48
S17 4	152	(@ad<"20001117" or @rlad<"20001117") and cookie near15 session near (ID or identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:49

EAST Search History

S17 5	0	(@ad<"20001117" or @rlad<"20001117") and cookie near15 session near (ID or identifier) near15 password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:49
S17 6	12	(@ad<"20001117" or @rlad<"20001117") and cookie near15 session near (ID or identifier) same password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 19:05
S17 7	0	(@ad<"20001117" or @rlad<"20001117") and transparent near15 session near (ID or identifier) same password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:53
S17 8	0	(@ad<"20001117" or @rlad<"20001117") and transparent near15 (token or cookie) same session near (ID or identifier) same password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:54
S17 9	214	(@ad<"20001117" or @rlad<"20001117") and transparent near15 (token or cookie)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:54
S18 0	0	(@ad<"20001117" or @rlad<"20001117") and transparent near15 (token or cookie) and (token or cooki) same session near (ID or identifier) same password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:55
S18 1	1	(@ad<"20001117" or @rlad<"20001117") and transparent near15 (token or cookie) and (token or cookie) same session near (ID or identifier) same password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:54

EAST Search History

S18 2	0	(@ad<"20001117" or @rlad<"20001117") and transparent near15 login same session near (ID or identifier) same password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:55
S18 3	12	(@ad<"20001117" or @rlad<"20001117") and token same session near (ID or identifier) same password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:58
S18 4	0	(@ad<"20001117" or @rlad<"20001117") and transparent same session near (ID or identifier) same password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:58
S18 5	368	(@ad<"20001117" or @rlad<"20001117") and transparent same password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:59
S18 6	98	(@ad<"20001117" or @rlad<"20001117") and transparent near10 password\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:59
S18 7	0	(@ad<"20001117" or @rlad<"20001117") and transparent near10 password\$1 and (id or identifier) same invitation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:59
S18 8	0	(@ad<"20001117" or @rlad<"20001117") and transparent near10 password\$1 near15 invitation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:59

EAST Search History

S18 9	0	(@ad<"20001117" or @rlad<"20001117") and transparent same password\$1 same invitation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/12 18:59
S19 0	3	(@ad<"20001117" or @rlad<"20001117") and transparent same password\$1 same invit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB.	OR	OFF	2007/12/12 18:59